

Bangladesh Power Development Board
DAILY ELECTRICITY GENERATION REPORT

Office of the Member, Generation
Tel : 9564667, 9551095

Month January, 2023			Day : Thursday				Date : 05.01.23					
Probable Maximum Demand :			9900	MW	Probable Maximum Generation :				10902	MW	Rule Curve = 102.24 ft.	
Water Level of Kaptai Lake at 06:00 AM			Yesterday =	86.08	ft	Today =	86.00	ft				
Sl. No.	Name of Power Station	Nos. of Unit X Capacity (MW)	Installed Capacity (MW)	Derated/ Present Capacity (MW)	04.01.23 (Yesterday)		05.01.23 (Today)		04.01.23 (Yesterday)		Status of Machines under shut-down/ Maintenance	
					Actual Peak Generation (MW)		Probable Peak Generation (MW)		Gen. shortfall for :			
					Day	Evening	Day	Evening	Gas/Coal/Oil/Water Limitation MW	Machines shut down (MW)		Description/ Remarks
(A) Plants in operation:												
1	Ghorasal Repowered CCPP Unit-3 (GT)	Gas (PDB)	1 x 260	260	260	0	0	0	0		260	Under project work
2	a) Ghorasal Repowered CCPP Unit-4	Gas (PDB)	1 x 210	210	180	0	0	0	0			
	b) Ghorasal TPP Unit-5	Gas (PDB)	1 x 210	210	190	0	0	0	0		190	Under maint.
3	Ghorasal 365 MW CCPP Unit-7	Gas (PDB)	1x 254+1x 126	365	365	200	200	200	200		165	ST under maint.
4	Ghorasal 108MW PP (Regent)	Gas (IPP)	3x3.35	108	108	70	73	70	76		35	Gas Shortage
5	Tongi 80 MW GTPP	Gas (PDB)	1 x 105	105	105	0	0	0	0		105	Gas Shortage
6	Hariapur GTPP	Gas (PDB)	1x 32	32	20	0	0	0	0			Contract Expired
7	Hariapur 360MW CCPP(HPL)	Gas (IPP)	1x235+1x125	360	360	285	243	300	300			
8	Meghnaghat 450 MW CCPP(MPL)	Gas (IPP)	2x140+1x170	450	450	225	225	225	225		225	Gas Shortage
9	210 MW Siddhirganj TPP	Gas (PDB)	1 x 210	210	115	0	0	0	0		115	Under Overhauling
10	Hariapur 412 MW CCPP	Gas (EGCB)	1x273+1x139	412	412	395	340	370	400			
11	Siddhirganj 2 120 MW GTPP	Gas (EGCB)	2 x 105	210	210	0	0	0	0		210	Gas Shortage
12	Siddhirganj 335 MW CCPP	Gas (EGCB)	1 x 217+1x118	335	335	0	0	0	0		217	Gas Shortage
13	Meghnaghat CCPP(Summit)	Gas (IPP)	2x110+1x110	335	335	0	0	0	0		335	Gas Shortage
14	Madanganj 55 MW PP(Summit)	HFO (IPP)	5x17.08+1x11.3	55	55	55	55	55	55			
15	Gagnagar 102 MW PP (Digital Power)	HFO (IPP)	12x8.924	102	102	8	8	8	8			
16	Narshingdi 22 MW PP (Doreen)	Gas (SIPP, REB)	8x2.90	22	22	19	19	19	19			
17	Summit Power,(Madhabdi+Ashulia)	Gas (SIPP, REB)	6x3.67+7x3.73	80	80	41	49	48	49			
18	Maona 33 MW PP(Summit)	Gas (SIPP, REB)	4x8.73	33	33	0	32	32	32			
19	Rugganj 33 MW PP(Summit)	Gas (SIPP, REB)	4x8.73	33	33	25	28	30	30			
20	Gazipur 52 MW PP	HFO (RPCL)	6x8.90	52	52	45	51	24	50			
21	Gazipur 100 MW PP	HFO (RPCL)	6x18.415	105	105	105	105	105	105			
22	Kodda 150MW PP	HFO (BRPgen)	9x17.06	149	149	16	16	16	16			
23	Kamalaghat 54 MW PP (Banco Energy)	HFO (IPP)	3x18.69	54	54	17	54	17	54			
24	Kodda 300 MW PP Unit-2 (Summit)	HFO (IPP)	18x17.076	300	300	204	300	32	300			
25	Kodda 149 MW PP Unit-1 (Summit)	HFO (IPP)	8x18.415+1x8.97	149	149	135	134	17	17			
26	Keraniganj 300 MW PP (APR)	HSD (IPP)	256x1.4	300	300	11	10	0	150			
27	Bramhanaganj 100 MW PP (Aggreko)	HSD (IPP)	23x0.85+91x.959	100	100	0	0	0	0			
28	Auraha 100MW PP (Aggreko)	HSD (IPP)	23x0.85+91x.959	100	100	0	0	0	0			
29	Nababganj 55 MW PP (Southern power)	HFO (IPP)	3x19.3	55	55	17	55	35	55			
30	Manikganj 55 MW PP (Northern)	HFO (IPP)	3x19.3	55	55	35	55	35	55			
31	Meghnaghat 104 MW PP (OPSL)	HFO (IPP)	6x18.5	104	104	0	1	0	17			
32	Manikganj 162MW PP(MPGL)	HFO (IPP)	9x18	162	162	17	162	17	162			
33	Manikganj 35MW Solar PP (Inspectra Solar Ltd.)	Solar (IPP)	1x35	35	35	6	0	30	0			
34	Kanchan Purbachal Power Generation Ltd.	HFO (IPP)	3x19.404	55	55	17	17	17	17			
35	Siddhirganj 100 MW PP(Dutch Bangla)	HFO (NENP)	12x8.9	100	100	16	8	8	8			
36	Meghnaghat 100 MW(IEI)	HFO (NENP)	12x8.9	100	100	9	9	9	9			
37	Madanganj 102 PP(Summit)	HFO (NENP)	6x17	102	102	48	48	48	48			
Dhaka Zone Total			6004	5847	2021	2297	1727	2457	1127	848		
38	Karnaphuli Hydro PP Unit-1,2,3,4, 5	Hydro (PDB)	2x40, 3x50	230	230	30	30	30	30		200	Low water level
39	a) Chattogram TPP-1	Gas (PDB)	1 x 210	210	180	0	0	0	0		180	Gas Shortage
	b) Chattogram TPP-2	Gas (PDB)	1 x 210	210	180	0	0	0	0		180	Under maint.
40	Kaptai 7 MW Solar PP	Solar (PDB)	7	7	7	4	0	5	0			
41	Raozan 25 MW PP	HFO (RPCL)	3x8.9	25	25	25	25	25	25			
42	Teknaf 20MW PP (Solartech)	Solar (IPP)	1x20	20	20	19	0	20	0			
43	Patenga 50MW PP (Baraka)	HFO (IPP)	8x8.89	50	50	19	20	20	20			
44	Sikalbaha 105 MW PP (Baraka Sikalbaha)	HFO (IPP)	6x18.415	105	105	17	51	17	51			
45	Shikalbaha Peaking GT	Gas (PDB)	1 x 150	150	150	0	0	0	0		150	Under maint.
46	Sikalbaha 225 MW CCPP	Gas (PDB)	1 x 150+1 x 75	225	225	151	151	151	151			
47	Anwara 300 MW PP (United)	HFO (IPP)	17x17.076+ 3x6.04	300	300	51	293	51	300			
48	Juldah 100 MW PP Unit-3 (Acom)	HFO (IPP)	8x13.45	100	100	25	25	25	25			
49	Dohazari -Kalaish 100 MW Peaking	HFO (PDB)	6x17.0	102	102	0	51	0	51			
50	Hathazari 100 MW peaking PP	HFO (PDB)	11x8.9	98	98	32	32	32	32			
51	Barabkunda 22 MW PP (Regent)	Gas (SIPP, PDB)	8x2.90	22	22	0	0	0	0		22	Gas Shortage
*	Malancha, Cig.EP2 (United)	Gas	5x8.73+3x9.34			2	10	20	20			
52	Chattogram 108 MW PP (ECPV)	HFO (IPP)	16x7.00	108	108	0	0	0	10			
53	Sikalbaha 54 MW PP(Jodiac Power)	HFO (IPP)	3x18.55+1x3.6	54	54	17	17	17	17			
54	Karnaphuli Power Ltd.	HFO (IPP)	6x18.41+1x6.4	110	110	54	51	52	52			
55	Juldah unit-2 (Acom)	HFO (IPP)	8x13.6	100	100	25	25	25	25			
56	Juldah 100 MW Unit-1 (Acom)	HFO (ORPP)	8x13.45	100	100	22	22	22	22			
57	Chattogram 116 MW PP (Anima Energy Ltd.)	HFO (IPP)	6x21.06	116	116	51	34	89	89			
	Mirsharai 150 MW	HFO (BRPgen)	9x18.5			0	0	0	0			on test
Chattogram Zone Total			2442	2382	544	837	601	920	402	330		
58	Ashuganj TPP Unit- 5	Gas (APSCl)	1 x 150	150	134	0	0	0	134			Gas Shortage
59	Ashuganj 50 MW PP	Gas (APSCl)	14x3.968	53	45	5	5	15	15			
60	Ashuganj 225 MW CCPP	Gas (APSCl)	1x142+1*75	221	221	228	183	215	220			
61	Ashuganj 450 MW CCPP(South)	Gas (APSCl)	1x360	360	360	0	0	0	0		360	Under maint.
62	Ashuganj 450 MW CCPP(North)	Gas (APSCl)	1x361	360	360	330	306	340	340			
63	Ashuganj 420 MW CCPP(East)	Gas (APSCl)	1x284+1x116	400	400	293	300	322	325			
64	Ashuganj 55 MW PP (Precision)	Gas (RPP)	15'4	55	55	5	5	5	5		50	Gas Shortage
65	Ashuganj 195MW PP (APSCl-United)	Gas (IPP)	20*9.73+1*116	195	195	45	8	8	187			
66	Ashuganj 51 MW PP (Midland)	Gas (IPP)	6x9.34	51	51	0	51	51	51			
67	Ashuganj 150MW PP (Midland)	HFO (IPP)	23x7.015	150	150	0	20	6	130			Gas Shortage
68	Titas 50 MW Peaking PP	HFO (PDB)	6x8.92	52	52	31	31	31	31			
69	Chandpur 150 MW CCPP	Gas (PDB)	1X106+1x57	163	163	0	0	0	0		163	Under maint.
70	Chandpur 200MW (Desh energy)	HFO (IPP)	12x18.415	200	200	0	0	0	0			
71	Feni 22MW PP (Doreen)	Gas (SIPP, PDB)	8x2.90	22	22	21	21	21	21			
72	Feni 11 MW PP (Doreen)	Gas (SIPP, REB)	4x2.90	11	11	10	10	10	10			
73	Jangalia 33MW PP (Summit)	Gas (SIPP, PDB)	4x8.73	33	33	0	14	25	25			
74	Jangalia 52 MW PP (Lakdanavi)	HFO (IPP)	6x8.92	52	52	0	8	8	8			
75	Cumilla 25 MW PP (Summit)	Gas (SIPP, REB)	3x3.67+2x6.97	25	25	18	20	21	21			
76	Daudkandi 200 MW PP (B.Trac)	HSD (IPP)	8x14+8x11.515+1x1.098	200	200	0	10	100	100			
77	Feni 114 MW (Lakdanavi)	HFO (IPP)	7*18.415+1*9.78	114	114	17	81	17	114			
78	Chowmuhani 113 MW	HFO (IPP)	12*9.78+2*3.1	113	113	9	9	9	9			
79	Bhairab 54 MW PP	HFO (IPP)	3x18.2	54	54	17	17	17	17			
80	Chandpur 115MW PP (Doreen)	HFO (IPP)	4x18.516+2x25.428	115	115	94	94	77	94			
**	Impoort (Tripura)	India		160	160	101	106	135	152			
Cumilla Zone Total			3309	3285	1224	1299	1433	1621	501	523		
81	RPCL 210MW CCPP	Gas (IPP)	4x35+1x70	210	202	46	84	75	84		118	Gas Shortage
82	Tangail 22 MW PP (Doreen)	Gas (SIPP, PDB)	8x2.90	22	22	20	22	22	22			
83	Jamalpur 115 MW PP (United)	HFO (IPP)	12x9.87	115	115	38	47	28	47			
84	Mymensingh 200 MW PP (United)	HFO (IPP)	21x9.780	200	200	43	47	48	47			
85	Sarishabari 3 MW Solar Plant	Solar (IPP)	1x3	3	3	0	0	1.6	0			
86	Sutakhal 50 MW Solar PP	Solar (IPP)	1x50	50	50	0	0	50	0			
87	Tangail 22 MW PP(PPGL)	HFO (IPP)	4x6.7	22	22	12	12	12	12			
Mymensingh Zone Total			622	614	159	212	237	222	118	0		

Sl. No.	Name of Power Station		Nos. of Unit X Capacity (MW)	Installed Capacity (MW)	Derated/ Present Capacity (MW)	04.01.23 (Yesterday)		05.01.23 (Today)		04.01.23 (Yesterday)		Status of Machines under shut-down/ Maintenance		
						Actual Peak Generation (MW)		Probable Peak Generation (MW)		Gas/Coal/Water Limitation MW	Machines shut down (MW)	Description/ Remarks	Probable start-up date	
						Day	Evening	Day	Evening					
88	Fenchugonj CAPP Phase-1	Gas (PDB)	2x32+1x33	97	70	0	0	0	0		70	GT-1 Under maint.		
89	Fenchugonj CAPP Phase-2	Gas (PDB)	2x35+1x35	104	90	31	31	31	31		59	GT-4 Under maint.		
90	Fenchugonj 51 MW PP (Barakatullah)	Gas (RPP)	19x2.90	51	51	8	50	10	50					
91	Kushiara 163 MW CAPP (KP)	Gas (IPP)	1x109+1x54	163	163	0	0	0	0		163	Under maint.		
92	Hobiganj 11MW PP Confidence-E	Gas (SIPP, REB)	4x2.90	11	11	2	2	8	8					
93	Shahjibazar GTPP Unit- 8 & 9	Gas (PDB)	2x35	70	66	62	62	64	64					
94	Shahjibazar 330 MW CAPP	Gas (PDB)	2x110+1x110	330	330	0	0	0	0		330	Under maint.		
95	Shahjibazar 86MW PP (Shahjibazar)	Gas (RPP)	3x2.90	86	86	30	84	30	84					
96	Sylhet 225 MW CAPP	Gas (PDB)	1x142+1x89	231	231	197	195	200	200					
97	Sylhet 20 MW GTPP	Gas (PDB)	1 x 20	20	20	19	19	19	19					
98	Sylhet 10MW PP (Desh)	Gas (RPP)	6x1.95	10	10	10	10	10	10					
99	Shahjahanulla 25 MW PP	Gas (CIPP, REB)	3x9.34	25	25	0	0	16	16					
100	Bibiana-II 341 MW CAPP (Summit)	Gas (IPP)	1x222+1x119	341	341	0	0	0	0		341	Under maint.		
101	Bibiyana-III 400 MW CAPP	Gas (PDB)	1x285+1x115	400	400	275	261	252	275					
102	Bibiyana South 383 MW CAPP	Gas (PDB)	1x252+1x131	383	383	400	400	400	400					
103	Shahjibazar 100 MW GTPP	Gas (PDB)	1x100	100	100	0	0	0	0		100	Under project work		
104	Sylhet 50MW PP (EPL)	Gas (NENP)	2x27	50	50	0	0	0	0					
105	Fenchugonj 44MW (Energyprima)	Gas (NENP)	12*3.4*5*2	50	50	5	43	10	43					
Sylhet Zone Total						2522	2477	1039	1157	1050	1200	0	1063	
106	Bheramara GTPP Unit- 3	HSD (PDB)	1 x 20	20	15	0	0	0	0					
107	Bheramara 410 MW CAPP	Gas (NWP/GCL)	1 x 278+1 x 132	410	410	0	0	0	0		410	Under maint.		
108	Fandipur 50 MW Peaking PP	HFO (PDB)	8x6.98	54	54	0	33	0	40					
109	Gopalganj 100 MW Peaking PP	HFO (PDB)	16x6.98	109	109	0	40	0	76					
110	Khulna 225 MW CAPP	HSD (NWP/GCL)	1 x 150+1x75	230	230	0	0	0	0					
111	Noapara 100 MW PP (Bangla Trac)	HSD (IPP)	70x1.4+7x1.5+15	100	100	0	0	0	50					
112	Rupsha 105 MW PP (Orion rupsha)	HFO (IPP)	6x18.445	105	105	0	0	17	17					
113	Madhumati 100 MW PP	HFO (NWP/GCL)	6x18.415	105	105	0	0	0	0					
114	Mongla Orion 100 MW Solar PP	Solar (IPP)		100	100	72	0	100	0					
115	Khulna 115 MW PP (KFCL-2)	HFO (NENP)	7x17	115	115	0	16	0	32					
116	Noapara 40 MW PP (Kharjehan Ali)	HFO (NENP)	5*8.5	40	40	8	40	40	40					
Rampal 1320 MW								506	542	540	540			
Khulna 330 MW CAPP								0	0	0	0			
Bheramara (H/DC) India						1000	1000	824	917	832	928			
Khulna Zone Total						2388	2384	1410	1588	1529	1723	0	410	
117	Bansal 110 MW PP (Summit)	HFO (IPP)	7 x 17.076	110	110	0	0	0	0		110	Line Overload		
118	Bhola 33 MW PP (Venture)	Gas (NENP)	1x34.50	40	40	20	25	19	25					
119	Bhola 225 MW CAPP	Gas (PDB)	2x63+1x68	194	194	134	136	135	135					
120	Payra 1320 MW TPP	Coal (BCPCL)	2x622	1244	1244	490	520	500	622					
121	Potukhali 150MW PP (UPPL)	HFO (IPP)	8x18.415+1x9.78	150	150	0	0	0	0		150	Line Overload		
Barisal Electric 307 MW								209	251	250	250			
122	Bhola 220MW CAPP (Nutan Bidyut BD Ltd)	Gas/HSD (IPP)	2x75+1x70	220	220	218	200	220	220					
Barishal Zone Total						1958	1958	1071	1132	1124	1252	0	260	
123	a) Baghabari 71 MW GTPP	Gas (PDB)	1 x 71	71	71	0	0	0	0		71	Gas Shortage		
b) Baghabari 100 MW GTPP								0	0	0	0	100	Gas Shortage	
124	Baghabari 50 MW Peaking PP	HFO (PDB)	6x8.9	52	52	0	25	0	34					
125	Baghabari 200 MW PP (Paramount)	HSD (IPP)	135x1.6	200	200	0	0	0	100					
126	Bera 70 MW Peaking PP	HFO (PDB)	9x8.29	71	71	0	5	0	25					
127	Chapainawabganj 100 MW Peaking PP	HFO (PDB)	12x8.924	104	104	0	69	0	65					
128	Katakhal 50 MW Peaking PP	HFO (PDB)	6x8.7	50	50	16	40	0	40					
129	Katakhal 50 MW PP (Northern)	HFO (QRPP)	6x8.9	50	50	16	16	42	50					
130	Santaher 50 MW Peaking PP	HFO (PDB)	6x8.7	50	50	0	34	0	36					
131	Sirajgonj 225MW CAPP Unit-1	Gas (NWP/GCL)	1x150+1x75	210	210	0	0	0	0		210	Gas Shortage		
132	Sirajgonj 225MW CAPP Unit-2	Gas (NWP/GCL)	1x150 + 1x75	220	220	220	194	220	220		26	Gas Shortage		
133	Sirajgonj 225MW CAPP Unit-3	Gas (NWP/GCL)	1x141+1x79	220	220	0	0	0	0		220	Under maint.		
134	Sirajgonj 400 MW CAPP Unit-4	Gas (IPP)	1x282+1x132	414	414	346	378	420	420		36	Gas Shortage		
135	Bogra 22 MW PP (GGB)	Gas (RPP)	6x4.0	22	22	19	21	22	22					
136	Ullapara 11 MW PP (Summit)	Gas (SIPP, REB)	4x2.90	11	11	8	8	8	8					
137	Natore 52 MW PP (Rajlanka)	HFO (IPP)	6x8.92	52	52	8	52	8	52					
138	Baqura 113 MW (Confidence) U-1	HFO (IPP)	6*18.55	113	113	35	55	35	55					
139	Baqura 113 MW PP (Confidence) U-2	HFO (IPP)	6x18.55	113	113	35	35	35	35					
140	Sirajgonj 6.55 MW Solar	Solar (NWP/GCL)	1x6	6	6	0	0	6	0					
Adani Power Jharkhanda Ltd								0	0	0	0			
Raishahi Zone Total						2129	2129	703	932	796	1162	443	220	
141	a) Barapukuria TPP Unit-1	Coal (PDB)	1 x 125	125	85	0	0	0	0		85	Coal Shortage		
b) Barapukuria TPP Unit-2								0	0	0	0			
142	Barapukuria 275 MW TPP Unit-3	Coal (PDB)	1 x 274	274	274	160	160	160	160		114	Under Overhauling		
143	Rangpur 20 MW GTPP	HSD (PDB)	1 x 20	20	20	0	0	0	0			Coal Shortage		
144	Rangpur 113 MW PP (Confidence)	HFO (IPP)	7*16x 2*3	113	113	34	70	34	70					
145	Saidpur 20 MW GTPP	HSD (PDB)	1 x 20	20	20	0	0	0	0					
146	Majpara, Tatulia 8 MW Solar PP (Syma Power)	Solar (IPP)	1 x 8	8	8	-3	0	8	0					
147	Thakurgaon 119MW PP (Energypac)	HFO (IPP)	6*20	115	115	94	113	115	115					
148	Malmonhat 30 MW Solar (Intraco)	Solar (IPP)	1*30	30	30	25	0	30	0					
Teesta Solar Limited								153	0	0	0			
Rangpur Zone Total						830	750	469	343	347	345	199	85	
Sub-total: Plants in operation						22204	21826	8640.0	9797	8844	10902	2790	3739	
(B) Plants under long term maintenance/ contract expired														
149	Jamalpur 95 MW PP(Powerpac)	HFO (IPP)	12x8.924	95	0	0	0	0	0					
150	Katpotti 52 MW PP (Sinha)	HFO (IPP)	7x7.90	51	0	0	0	0	0					
151	Bosilia 108MW PPI(CLC)	HFO (IPP)	12x8.775+1x3.5	108	0	0	0	0	0					
152	Keraniganj 100 MW PP (Powerpac)	HFO (QRPP)	8x13.45	100	0	0	0	0	0					
153	Ammura 30 MW PP(Sinha)	HFO (QRPP)	7x7.79	50	0	0	0	0	0				Contract Expired on 11/01/2022	
Sub-Total: Plants under long term maintenance/ contract expired						404	0	0	0	0	0			
Gross Total						22608	21826	8640	9797	8844	10902	2790	3739	
(C) Actual data of 04.01.23 (Yesterday) Wednesday :														
01.	Max. Demand at eve. peak (Generation end)	:	9797 MW, at =	19:00 hrs	12.	Zone wise Demand and Load-shed at Evening Peak (Sub-station end) :								
02.	Max. Demand at eve. peak (Sub-station end)	:	9420 MW, at =	19:00 hrs	Zone	Demand MW	Supply MW	Load Shed MW	Zone	Demand MW	Supply MW	Load Shed MW		
03.	Highest Generation (Generation end)	:	9797 MW, at =	19:00 hrs	Dhaka	3491	3491	0	Mymensingh	822	822	0		
04.	Minimum Generation (Generation end)	:	6129 MW, at =	5:00 hrs	Chattogram	940	940	0	Sylhet	342	342	0		
05.	Day-peak Generation (Generation end)	:	8640 MW, at =	12:00 hrs	Khulna	1124	1124	0	Barishal	273	273	0		
06.	Evening-peak Generation (Generation end)	:	9797 MW, at =	19:00 hrs	Rajshahi	973	973	0	Rangpur	658	658	0		
07.	Evening Peak Load-shed (Sub-station end)	:	0 MW, at =	19:00 hrs	Cumilla	797	797	0						
08.	Minimum Generation Forecast up to 8:00 hrs.	:	6104 MW, at =	5:00 hrs					Total	9420	9420	0		
09.	Generation shortfall at evening peak due to :	:			13.	Fuel cost :		(a) Gas = 106793485 Taka	(c) Coal = 128070685 Taka					
a) Gas/LF limitation	:	:	2391 MW					(b) Oil = 427625495 Taka	Total = 662489666 Taka					
d) Coal supply Limitation	:	:	199 MW		14.	Maximum Temperature in Dhaka was : 17.0° C								
b) Low water level in Kaptai lake	:	:	200 MW		15.	Export through East-West interconnections :								
c) Plants under shut down/ maintenance	:	:	3739 MW		At evening peak-hour	:	8640 MW, at	19:00 hrs						
10.	Total Energy (Generation + India Import)	:	193.14 MKWh		Maximum	:	78 MW, at	7:00 hrs						
	By Gas =	104.837 MKWh	By Oil =	31.690 MKWh	Energy	:	0 MKWh							
	By Coal =	33.571 MKWh	By Hydro =	0.722 MKWh										
	By Solar =	1.417 MKWh												
11.	Total Gas Supplied	:	817.52 MMCFD											
(D) Forecast of 05.01.23 (Today) Thursday :														
01.	Maximum Demand	:	9900 MW (Generation end)	04.	Maximum Load-shed	:	0 MW	At evening peak (Sub-station end)						
02.	Maximum Generation	:	10902 MW (Generation end)	05.	Total Generation	:	195.18 MKWh							
03.	Reserve / Shortage	:	1002 MW (Generation end)	06.	Probable Max. Temperature in Dhaka	:	25.9° C							

#Remarks: Highest Generation 14782 MW on 16-04-2022 at 21:00

(Md. Helalur Rahman)
Deputy Secretary, Generation