

Bangladesh Power Development Board
DAILY ELECTRICITY GENERATION REPORT

Office of the Member, Generation
Tel : 9554567, 9551095

Month July, 2023				Day : Friday				Date : 07.07.23						
Probable Maximum Demand : 12600 MW				Probable Maximum Generation : 15076 MW										
Water Level of Kaptai Lake at 06:00 AM				Yesterday = 73.26 ft		Today = 73.80 ft		Rule Curve = 84.80 ft						
Sl. No.	Name of Power Station	Nos. of Unit X Capacity (MW)	Installed Capacity (MW)	Dered/ Present Capacity (MW)	06.07.23 (Yesterday)		07.07.23 (Today)		06.07.23 (Yesterday)		07.07.23 (Today)		Status of Machines under shut-down/ Maintenance	Probable start-up date
					Actual Peak Generation (MW)		Probable Peak Generation (MW)		Gen. shortfall for :		Machines shut down (MW)			
					Day	Evening	Day	Evening	Gas/Coal/oil/Water Limitation MW					
(A) Plants in operation:														
1	Ghorasal Repowered CAPP Unit-3 (GT)	Gas (PDB)	1 x 260	260	260	0	0	0	0			260	Under project work	
2	a) Ghorasal Repowered CAPP Unit-4	Gas (PDB)	1 x 210	210	180	120	180	150	180					
	b) Ghorasal TPP Unit-5	Gas (PDB)	1 x 210	210	190	180	180	180	180					
3	Ghorasal 365 MW CCPP Unit-7	Gas (PDB)	1x 254+1x 126	365	365	0	0	0	0					
4	Ghorasal 108MW PP (Regent)	Gas (IPP)	34x3.35	108	108	12	14	12	14	94			Gas Shortage	
5	Tongi 80 MW GTTP	Gas (PDB)	1 x 105	105	105	0	0	0	0	105			Gas Shortage	
6	Haripur GTTP	Gas (PDB)	1 x 32	32	20	0	0	0	0					
7	Haripur 360MW CCPP(HPL)	Gas (IPP)	1x235+1x125	360	360	331	342	330	360					
8	Meghnaghat 450 MW CCPP(MPL)	Gas (IPP)	2x140+1x170	450	450	420	450	450	450					
9	210 MW Siddhirganj TPP	Gas (PDB)	1 x 210	210	115	0	0	0	0			115	Under Overhauling	
10	Haripur 412 MW CCPP	Gas (EGCB)	1x273+1x139	412	412	383	409	400	412					
11	Siddhirganj 2*120 MW GTTP	Gas (EGCB)	2 x 105	210	210	96	195	200	200					
12	Siddhirganj 335 MW CCPP	Gas (EGCB)	1 x 217+1x118	335	335	322	328	320	320					
13	Meghnaghat CAPP(Summit)	Gas (IPP)	2x110+1x110	335	335	267	313	305	310					
14	Madanganj-55 MW PP(Summit)	HFO (IPP)	5x17.08+1x11.3	55	55	40	30	55	55					
15	Gagnagar 102 MW PP (Digital Power)	HFO (IPP)	12x8.924	102	102	42	41	32	102					
16	Narsingdi 22 MW PP (Doreen)	Gas (SIPP, REB)	8x2.90	22	22	15	0	19	19					
17	Summit Power, (Madhabdi-Ashulia)	Gas (SIPP, REB)	8x3.67+7x8.73	80	80	41	41	40	41					
18	Maona 33 MW PP(Summit)	Gas (SIPP, REB)	4x8.73	33	33	25	25	25	25					
19	Rugganj 33 MW PP(Summit)	Gas (SIPP, REB)	4x8.73	33	33	32	32	33	33					
20	Gazipur 52 MW PP	HFO (RPCL)	6x8.90	52	52	8	25	8	25					
21	Gazipur 100 MW PP	HFO (RPCL)	6x18.415	105	105	88	70	105	105					
22	Kodda 150MW PP	HFO (BRPgen)	9x17.06	149	149	16	70	64	150					
23	Kamalaghat 54 MW PP (Banco Energy)	HFO (IPP)	3x18.69	54	54	0	35	0	35					
24	Kodda 300 MW PP Unit-2 (Summit)	HFO (IPP)	18x17.076	300	300	281	278	275	278					
25	Kodda 149 MW PP Unit-1 (Summit)	HFO (IPP)	8x18.415+1x8.97	149	149	114	91	134	134					
26	Keraniganj 300 MW PP (APR)	HSD (IPP)	256x1.4	300	300	0	0	300	300					
27	Aurahi 100MW PP (Aggreko)	HSD (IPP)	23x0.85+91x.959	100	100	0	0	0	0					
28	Nabaganj 55 MW PP (Southern power)	HFO (IPP)	3x19.3	55	55	35	55	55	55					
29	Manikganj 55 MW PP (Northern)	HFO (IPP)	3x19.3	55	55	55	35	55	55					
30	Meghnaghat 104 MW PP (OPSL)	HFO (IPP)	6x18.5	104	104	59	73	54	73					
31	Manikganj 162MW PP(MPGL)	HFO (IPP)	9x18	162	162	72	108	72	162					
32	Manikganj 35MW Solar PP (Inspectra Solar Ltd.)	Solar (IPP)	1x35	35	35	33	0	30	0					
33	Kanchan Purbachal Power Generation Ltd.	HFO (IPP)	3x19.404	55	55	17	34	17	35					
34	Siddhirganj 100 MW PP(Dutch Bangla)	HFO (NENP)	12x8.9	100	100	50	25	58	75					
35	Meghnaghat 100 MW(IEI)	HFO (NENP)	12x8.9	100	100	38	16	30	30					
36	Madanganj 102 PP(Summit)	HFO (NENP)	6x17	102	102	80	34	85	85					
37	Keraniganj 100 MW PP (Powerpac)	HFO (NENP)	8x13.45	100	100	75	0	0	75					
Dhaka Zone Total				6004	5822	3272	3529	3893	4373	199	375			
38	Karnaphuli Hydro PP Unit-1,2,3,4, 5	Hydro (PDB)	2x40, 3x50	230	230	30	60	30	60	170			Low water level	
39	a) Chattogram TPP-1	Gas (PDB)	1 x 210	210	180	100	102	110	110	78			Gas Shortage	
	b) Chattogram TPP-2	Gas (PDB)	1 x 210	210	180	0	0	0	0			180	Under maint.	
40	Kaptai 7 MW Solar PP	Solar (PDB)	7	7	7	3	0	5	0					
41	Raozan 25 MW PP	HFO (RPCL)	3x8.9	25	25	8	17	8	16					
42	Teknaf 20MW PP (Solartech)	Solar (IPP)	1x20	20	20	12	0	20	0					
43	Patenga 50MW PP (Baraka)	HFO (IPP)	8x6.89	50	50	6	50	6	50					
44	Sikalbaha 105 MW PP (Baraka Sikalbaha)	HFO (IPP)	6x18.415	105	105	34	51	17	51					
45	Shikalbaha Peaking GT	Gas (PDB)	1 x 150	150	150	0	0	0	0			150	Under maint.	
46	Sikalbaha 225 MW CAPP	Gas (PDB)	1 x 150+1 x 75	225	225	149	151	151	151					
47	Anwara 300 MW PP (United)	HFO (IPP)	17x17.076+ 3x8.04	300	300	88	170	88	300					
48	Juldah 100 MW PP Unit-3 (Acom)	HFO (IPP)	8x13.45	100	100	50	100	50	100					
49	Dohazari -Kalaish 100 MW Peaking	HFO (PDB)	6x17.0	102	102	17	34	33	34					
50	Hathazari 100 MW peaking PP	HFO (PDB)	11x8.9	98	98	33	72	32	72					
51	Barabkunda 22 MW PP (Regent)	Gas (SIPP, PDB)	8x2.90	22	22	10	10	10	10					
*	Malancha, Clp EPZ (United)	Gas	5x8.73+3x9.34			12	38	15	30					
52	Chattogram 108 MW PP (ECPV)	HFO (IPP)	16x7.00	108	108	0	0	0	0					
53	Sikalbaha 54 MW PP(Jodiac Power)	HFO (IPP)	3x18.55+1x3.6	54	54	17	17	17	17					
54	Karnaphuli Power Ltd.	HFO (IPP)	6x18.41+1x6.4	110	110	0	34	17	34					
55	Juldah unit-2 (Acom)	HFO (IPP)	8x13.6	100	100	50	76	50	90					
56	Juldah 100 MW Unit-1 (Acom)	HFO (QRP)	8x13.45	100	100	58	80	58	80					
57	Chattogram 116 MW PP (Anilma Energy Ltd.)	HFO (IPP)	6x21.06	116	116	34	51	34	51					
58	Mirsharai 150 MW	HFO (BRPgen)	9x18.5	163	163	53	53	54	163					
	SS Power Unit-1	Coal (IPP)				0	0	0	0					
	Cox's Bazar Wind PP	(Wind) (IPP)				14	15	15	15					
Chattogram Zone Total				2605	2545	778	1181	820	1434	248	330			
59	Ashuganj 50 MW PP	Gas (APSCL)	14x3.968	53	45	37	44	46	46					
60	Ashuganj 225 MW CAPP	Gas (APSCL)	1x142+1*75	221	221	182	210	200	210					
61	Ashuganj 450 MW CAPP(South)	Gas (APSCL)	1x360	360	360	0	0	0	0			360	Under maint.	
62	Ashuganj 450 MW CAPP(North)	Gas (APSCL)	1x361	360	360	305	305	300	320					
63	Ashuganj 420 MW CAPP(East)	Gas (APSCL)	1x284+1x116	400	400	280	230	220	230					
64	Ashuganj 195MW PP (APSCL-United)	Gas (IPP)	20*9.73+1*16	195	195	127	128	120	128	67			Gas Shortage	
65	Ashuganj 51 MW PP (Midland)	Gas (IPP)	6x9.34	51	51	43	43	43	43					
66	Ashuganj 150MW PP (Midland)	HFO (IPP)	23x7.015	150	150	5	150	5	150					
67	Tilas 50 MW Peaking PP	HFO (PDB)	6x8.92	52	52	28	28	30	30					
68	Chandpur 150 MW CAPP	Gas (PDB)	1X106+1x57	163	163	0	0	0	0			163	Under maint.	
69	Chandpur 200MW (Desh energy)	HFO (IPP)	12x18.415	200	200	52	105	50	100					
70	Feni 22MW PP (Doreen)	Gas (SIPP, PDB)	8x2.90	22	22	19	20	20	20					
71	Feni 11 MW PP (Doreen)	Gas (SIPP, REB)	4x2.90	11	11	11	11	11	11					
72	Jangalia 33 MW PP (Summit)	Gas (SIPP, PDB)	4x8.73	33	33	30	33	32	33					
73	Jangalia 52 MW PP (Lakdanavi)	HFO (IPP)	6x8.92	52	52	34	24	34	34					
74	Cumilla 25 MW PP (Summit)	Gas (SIPP, REB)	3x3.67+2x6.97	25	25	17	20	20	20					
75	Feni 114 MW (Lakdanavi)	HFO (IPP)	7*18.415+1*9.78	114	114	52	70	105	114					
76	Chowmuhani 113 MW	HFO (IPP)	12*9.78+2*3.1	113	113	9	68	9	55					
77	Bhairab 54 MW PP	HFO (IPP)	3x18.2	54	54	17	17	17	17					
78	Chandpur 115MW PP (Doreen)	HFO (IPP)	4x18.516+2x25.428	115	115	58	94	55	94					
**	Import (Tripura)	India		160	160	136	148	129	152					
Cumilla Zone Total				2904	2896	1442	1748	1446	1807	67	523			
79	RPCL 210MW CAPP	Gas (IPP)	4x35+1x70	210	202	58	66	80	80	136			Gas Shortage	
80	Tangail 22 MW PP (Doreen)	Gas (SIPP, PDB)	8x2.90	22	22	18	17	18	18					
81	Jamalpur 115 MW PP (United)	HFO (IPP)	12x9.87	115	115	19	75	38	75					
82	Mymensingh 200 MW PP (United)	HFO (IPP)	21x9.780	200	200	68	93	65	93					
83	Sarishabari 3 MW Solar Plant	Solar (IPP)	1x3	3	3	2	0	1.6	0					
84	Sutiekhal 50 MW Solar PP	Solar (IPP)	1x50	50	50	28	0	50	0					
85	Tangail 22 MW PP(RPCL)	HFO (IPP)	4x6.7	22	22	12	12	12						

Sl. No.	Name of Power Station		Nos. of Unit X Capacity (MW)	Installed Capacity (MW)	Derated/ Present Capacity (MW)	06.07.23 (Yesterday)		07.07.23 (Today)		06.07.23 (Yesterday)		Status of Machines under shut-down/ Maintenance	
						Actual Peak Generation (MW)		Probable Peak Generation (MW)		Gen. shortfall for : Gas/Coal/oil/Water Limitation MW	Machines shut down (MW)	Description/ Remarks	Probable start-up date
						Day	Evening	Day	Evening				
86	Fenchugonj CCPP Phase-1	Gas (PDB)	2x32+1x33	97	70	43	43	43	43		27	GT-1 & ST-1 Under maint.	
87	Fenchugonj CCPP Phase-2	Gas (PDB)	2x35+1x35	104	90	20	40	40	40		50	GT-4 Under maint.	
88	Fenchugonj 51 MW PP (Barakatullah)	Gas (RPP)		19x2.90	51	51	44	47	50	50			
89	Kushiera 163 MW CCPP (KP)	Gas (IPP)	1x109+1x54	163	163	0	0	0	0		54	ST Under maint.	
90	Hobigang 11MW PP Confidence-E	Gas (SIPP, REB)	4x2.90	11	11	8	8	11	11				
91	Shahjibazar GTTP Unit- 8 & 9	Gas (PDB)	2x35	70	66	60	60	60	60				
92	Shahjibazar 330 MW CCPP	Gas (PDB)	2x110+1x110	330	330	0	0	0	0		330	Under maint.	
93	Shahjibazar 86MW PP (Shahjibazar)	Gas (RPP)	32x2.90	86	86	85	86	86	86				
94	Sylhet 225 MW CCPP	Gas (PDB)	1x142+1x89	231	231	72	72	72	72		159	IGV Checking ongoing	
95	Sylhet 20 MW GTTP	Gas (PDB)	1 x 20	20	20	17	0	17	17				
96	Sylhet 10MW PP (Desh)	Gas (RPP)	6x1.95	10	10	10	10	10	10				
97	Shahjahanulla 25 MW PP	Gas (CIPP, REB)	3x9.34	25	25	24	24	24	24				
98	Bibiara-II 341 MW CCPP (Summit)	Gas (IPP)	1x222+1x119	341	341	290	285	300	300				
99	Bibiara-III 400 MW CCPP	Gas (PDB)	1x285+1x115	400	400	367	402	400	400				
100	Bibiara South 383 MW CCPP	Gas (PDB)	1x252+1x131	383	383	350	390	400	400				
101	Shahjibazar 100 MW GTTP	Gas (PDB)	1x100	100	100	0	0	0	0		100	Under project work	
102	Fenchuganj 44MW (Energyprima)	Gas (NENP)	12*3.4+5*2	50	50	38	45	50	50				
Sylhet Zone Total						2472	2427	1428	1512	1563	0	720	
103	Bheramara GTTP Unit- 3	HSD (PDB)	1 x 20	20	16	0	0	0	0				
104	Bheramara 410 MW CCPP	Gas (NWP/GCL)	1 x 278+1 x 132	410	410	350	310	300	320				
105	Fairdipor 50 MW Peaking PP	HFO (PDB)	8x6.98	54	54	0	33	20	33				
106	Gopalganj 100 MW Peaking PP	HFO (PDB)	16x6.98	109	109	0	50	36	70				
107	Khulna 225 MW CCPP	HSD/ Gas (NWP/GCL)	1 x 150+1x75	230	230	0	0	150	150				
108	Rupsha 105 MW PP (Orion rupsha)	HFO (IPP)	6x18.445	105	105	17	55	17	55				
109	Madhumati 100 MW PP	HFO (NWP/GCL)	6x18.415	105	105	32	50	15	68				
110	Mongla Orion 100 MW Solar PP	Solar (IPP)		100	100	38	0	100	0				
111	Khulna 115 MW PP (KPCL-2)	HFO (NENP)	7x17	115	115	32	16	49	98				
**	Noapara 40 MW PP (Khanjahan Ali)	HFO (NENP)	5*8.5	40	40	8	8	16	40				
113	Maitree Super Thermal 1320 MW PP (U-1)	Coal (BIFPCL)	1x617	617	617	0	0	0	0		617	Under maint.	
114	Khulna 330 MW CCPP (GT)	Gas/HSD (BDFB)	1x220	220	220	0	0	0	0				
**	Bheramara (HVDC)	India		1000	1000	909	902	926	926				
Khulna Zone Total						3125	3121	1386	1424	1629	0	617	
115	Barisal 110 MW PP (Summit)	HFO (IPP)	7 x 17.076	110	110	32	32	16	64				
116	Bhola 33 MW PP (Venture)	Gas (NENP)	1x34.50	40	40	19	27	25	27				
117	Bhola 225 MW CCPP	Gas (PDB)	2x63+1x68	194	194	68	0	130	130				
118	Payra 1320 MW TPP	Coal (BCPCL)	2x622	1244	1244	622	622	622	622	622		Coal Shortage	
119	Potukhalhi 150MW PP (UPPL)	HFO (IPP)	8x18.415+1x9.78	150	150	17	150	17	150				
120	Barisal Electric 307 MW	Coal (IPP)	1x307	307	307	130	130	130	130	177		Coal Shortage	
121	Bhola 220MW CCPP (Nutan Bidyut BD Ltd)	Gas/HSD (IPP)	2x75+1x70	220	220	224	227	220	220				
Barishal Zone Total						2265	2265	1112	1188	1160	1343	799	0
122	a) Baghabari 71 MW GTTP	Gas (PDB)	1 x 71	71	71	60	0	0	0				
122	b) Baghabari 100 MW GTTP	Gas (PDB)	1 x 100	100	100	0	0	0	0		100	Under maint.	
123	Baghabari 50 MW Peaking PP	HFO (PDB)	6x8.9	52	52	0	28	0	30				
124	Baghabari 200 MW PP (Paramount)	HSD (IPP)	135x1.6	200	200	0	0	0	200				
125	Bera 70 MW Peaking PP	HFO (PDB)	9x8.29	71	71	0	28	30	30				
126	Chapainawabganj 100 MW Peaking PP	HFO (PDB)	12x8.924	104	104	0	83	0	83				
127	Katakhali 50 MW Peaking PP	HFO (PDB)	6x8.7	50	50	13	30	0	30				
128	Katakhali 50 MW PP (Northern)	HFO (QRPP)	6x8.9	50	50	0	0	0	34				
129	Santahar 50 MW Peaking PP	HFO (PDB)	6x8.7	50	50	0	35	0	35				
130	Sirajgonj 225MW CCPP Unit-1	Gas (NWP/GCL)	1x150+1x75	210	210	166	187	150	180				
131	Sirajgonj 225MW CCPP Unit-2	Gas (NWP/GCL)	1x150 + 1x75	220	220	0	6	0	0				
132	Sirajgonj 225MW CCPP Unit-3	Gas (NWP/GCL)	1x141+1x79	220	220	161	145	160	185				
133	Sirajgonj 400 MW CCPP Unit-4	Gas (IPP)	1x282+1x132	414	414	347	417	414	414				
134	Bogra 22 MW PP (GGB)	Gas (RPP)	6x4.0	22	22	0	0	0	0				
135	Ullapara 11 MW PP (Summit)	Gas (SIPP, REB)	4x2.90	11	11	8	8	8	8				
136	Natore 52 MW PP (Rajlanka)	HFO (IPP)	6x8.92	52	52	8	0	0	52				
137	Bagura 113 MW (Confidence) U-1	HFO (IPP)	6*18.55	113	113	35	95	55	55				
138	Bagura 113 MW PP (Confidence) U-2	HFO (IPP)	6x18.55	113	113	35	70	35	55				
139	Amnura 50 MW PP(Sinha)	HFO (NENP)	7x7.79	50	28	0	0	0	0				
140	Sirajgonj 6.55 MW Solar	Solar (NWP/GCL)	1x6	6	6	2	0	6	0				
**	Adani Power Jharkhanda Ltd	Coal (Import)	1x748	748	748	757	760	748	760				
Rajshahi Zone Total						2927	2905	1592	1892	1606	2151	0	100
141	a) Barapukuria TPP Unit-1	Coal (PDB)	1 x 125	125	85	0	0	0	0	85		Coal Shortage	
141	b) Barapukuria TPP Unit-2	Coal (PDB)	1 x 125	125	85	0	0	0	0	85		Under Overhauling	
142	Barapukuria 275 MW TPP Unit-3	Coal (PDB)	1 x 274	274	274	180	180	180	180	94		Coal Shortage	
143	Rangpur 20 MW GTTP	HSD (PDB)	1 x 20	20	20	0	0	0	0				
144	Rangpur 113 MW PP (Confidence)	HFO (IPP)	7*16x 2*3	113	113	35	92	34	72				
145	Saidpur 20 MW GTTP	HSD (PDB)	1 x 20	20	20	0	0	0	0				
146	Mapsin. Talsia 5 MW Solar PP (Sympa Power)	Solar (IPP)	1 x 8	8	8	7	0	8	0				
147	Thakurgaon 119MW PP (Energypac)	HFO (IPP)	6*20	115	115	35	78	35	115				
148	Lalmoharhat 30 MW Solar (Intraco)	Solar (IPP)	1*30	30	30	22	0	30	0				
149	Teesa Solar Limited	Solar (IPP)	1 x 200	200	200	205	0	130	0				
Rangpur Zone Total						1030	950	484	350	417	367	179	85
Sub-total: Plants in operation						23954	23545	11699.0	13087	12799	15076	1628	2750
(B) Plants under long term maintenance/ contract expired													
150	Jamailpur 95 MW PP(Powerpac)	HFO (IPP)	12x8.924	95	0	0	0	0	0				
151	Katpott 52 MW PP (Sinha)	HFO (IPP)	7x7.90	51	0	0	0	0	0				
152	Bosilia 108MW PP(CLC)	HFO (IPP)	12x8.775+1x3.5	108	0	0	0	0	0				
153	Ashugani 55 MW PP (Precision)	Gas (RPP)	15*4	55	0	0	0	0	0				
Sub-Total: Plants under long term maintenance/ contract expired						309	0	0	0	0	0	0	0
Gross Total						24263	23545	11699	13087	12799	15076	1628	2750
(C) Actual data of 06.07.23 (Yesterday) Thursday :													
01.	Max. Demand at eve. peak (Generation end)	:	13087 MW, at =	21:00 hrs	12.	Zone wise Demand and Load-shed at Evening Peak (Sub-station end) :							
02.	Max. Demand at eve. peak (Sub-station end)	:	12587 MW, at =	21:00 hrs	Zone	Demand MW	Supply MW	Load Shed MW	Zone	Demand MW	Supply MW	Load Shed MW	
03.	Highest Generation (Generation end)	:	13196 MW, at =	22:00 hrs	Dhaka	3920	3920	0	Mymensingh	1085	1085	0	
04.	Minimum Generation (Generation end)	:	10625 MW, at =	8:00 hrs	Chattogram	1286	1286	0	Sylhet	557	557	0	
05.	Day-peak Generation (Generation end)	:	11699 MW, at =	12:00 hrs	Khulna	1659	1659	0	Barishal	457	457	0	
06.	Evening-peak Generation (Generation end)	:	13087 MW, at =	21:00 hrs	Rajshahi	1385	1385	0	Rangpur	915	915	0	
07.	Evening Peak Load-shed (Sub-station end)	:	0 MW, at =	21:00 hrs	Cumilla	1322	1322	0					
08.	Minimum Generation Forecast up to 8:00 hrs.	:	10080 MW, at =	5:00 hrs									
09.	Generation shortfall at evening peak due to :	:											
	a) Gas/LF limitation	:	1279 MW		13. Fuel cost : (a) Gas = 177618103 Taka (c) Coal = 162624202 Taka								
	d) Coal supply Limitation	:	179 MW										
	b) Low water level in Kaptai lake	:	170 MW		14. Maximum Temperature in Dhaka was : 33° C								
	c) Plants under shut down/ maintenance	:	2750 MW										
10.	Total Energy (Generation + India Import)	:	280.74 MMkWh		15. Export through East-West interconnections : At evening peak-hour : 11699 MW, at 21:00 hrs Maximum : 530 MW, at 20:00 hrs Energy : 0 MKWh								
	By Gas = 158.400 MKWH	By Oil =	55.856 MKWH										
	By Coal = 39.315 MKWH	By Hydro =	0.828 MKWH										
	By Solar= 1.061 MKWH												
11.	Total Gas Supplied	:	1247.87 MMCFD										
(D) Forecast of 07.07.23 (Today) Friday :													
01.	Maximum Demand	:	12600 MW (Generation end)		04.	Maximum Load-shed	:	0 MW	At evening peak (Sub-station end)				
02.	Maximum Generation	:	15076 MW (Generation end)		05.	Total Generation	:	268.06 MKWh					
03.	Reserve / Shortage	:	2476 MW (Generation end)		06.	Probable Max. Temperature in Dhaka :	:	34.2° C					

#Remarks: Highest Generation 15648 MW on 19-04-2023 at 21:00

(Md. Helalur Rahman)
Deputy Secretary, Generation